



Command performance

PROFESSIONAL ELECTRONIC
CONTROL SYSTEMS



Control your world



Boardrooms

Gathering Places



Hospitality

Multiple Dwelling Units

Transportation



Master your technology with RTI custom electronic control systems. And discover how much you can achieve with one touch.

RTI's professional-grade control products are powerful enough to control systems of any size or scope. They're intuitive enough for any user to operate confidently. Because our systems are designed and manufactured to perform under the most demanding conditions, you can expect reliable performance every time.

Ask yourself what you need to get done. Then let RTI become the link between your will and your world.

Broaden your influence

In the boardroom, time is money and excellence is expected. That's why RTI control systems set the standard for intuitive operation, reliability under pressure, and wide-ranging capabilities. Our technology isn't just a tool you can rely on – it's a business asset you can leverage.



T2-Cs

The T2-Cs embodies simple, elegant control in a modern design. A color LCD for custom text and graphics as well as hard buttons and a rocker switch provide customized, intuitive control. The T2-Cs consolidates command of your media and the environment – putting the power at your fingertips with the touch of a button.



T4

The T4 is the perfect complement to today's high-end boardrooms. With a fully customizable LCD touchpanel, the T4 is capable of controlling audio/video components, lights and other electronic systems throughout the office. Advanced features include wireless Ethernet for viewing IP cameras (motion .jpeg) and web browsing, while the addition of RTI accessory devices enables metadata feedback from electronics such as iPods®, lighting and security systems.

XP-8

Take electronics control to an entirely new level with the XP-8 Advanced Control Processor. Designed to perform seamlessly with all RTI handheld and in-wall controllers, it combines massive power with limitless control options. For complete automation, take advantage of two-way RS-232, time-based events, relay control and web-based information services such as weather forecasts.





Capture their attention

Forums like classrooms, auditoriums and places of worship demand a unique breed of control system. Robust capacity and flexibility are combined with one-touch simplicity to meet the needs of multiple users. Beyond ease of use, RTI professional-grade control systems also provide durability and reliability you can count on in front of an audience.



T2-B

The T2-B represents a recharged version of the award-winning T2+ remote control. Most notable is the new contemporary design, an updated hard button layout and a bright and vivid touchscreen. Whether used as a standalone controller or integrated into a complete RTI control solution, the T2-B will provide powerful, intuitive control of any electronics system— from simple to sophisticated.



RK2

The RK2 is a cost-effective in-wall touchpanel that will provide intuitive control of your media and your environment. Hard buttons provide quick access to common functions such as volume, channel and power, while a high-contrast monochrome LCD displays text and graphics customized to meet your unique control requirements.



RK1 -2, 4, 8

The RK1 line of keypads can be programmed to control virtually any aspect of your environment. From audio/video to lights and drapes, the RK1 can be used alone or as part of an automated control system. Their flexibility also extends to aesthetics, as they are sized for single gang electrical boxes and thus compatible with Decora® style wall plates. Buttons can be custom labeled and have a programmable backlight color to match any decor.





Energize your atmosphere

What if you could manipulate every aspect of the guest experience with a simple touch? RTI's customizable, scalable systems enable you to do just that – quickly and intuitively. From sound and light, to HVAC and security, all your electronics systems can be instantly accessed, and their functions effortlessly choreographed.




T2-C+

The latest version of RTI's award winning T2 remote control platform is a perfect example of style and function blended seamlessly together. The amazing T2-C+ features ground-breaking innovations, simply not found on other remote controls. A stunning, state-of-the-art OLED color display delivers gorgeous graphics and a revolutionary dual RF platform provides rock solid communication with RTI central processors. The T2-C+ gives the user intuitive command with the simple press of a button.



T3-V+

The pinnacle of elegance, the next generation T3-V+ combines cutting-edge design and limitless customizability with a host of new features, including an LCD touchpanel with eye-popping color, wireless Ethernet with an integrated web browser and dual RF communication. Use it as a powerful standalone controller or as part of an advanced RTI system for wireless control and feedback from electronic devices such as music servers and environmental controls.



RK3-V

The gorgeous full VGA LCD touchpanel, hard buttons and fully customizable interface provide simple but complete control of your electronic systems. Ethernet enabled, the RK3-V even lets you view your security cameras (motion JPEG) or check your favorite web pages using a built-in web browser. The RK3-V provides both direct infrared control and, when used with RTI accessories, is capable of two-way communications from electronics throughout the office.



Master your environment

Convenience and luxury become one with custom systems that control audio/video, lighting, security and HVAC through an elegant, intuitive interface. Designed to satisfy the most discriminating clientele, RTI's products for multiple dwelling units integrate seamlessly into settings as diverse as the people who live in them.



T1-B

Combining affordability with flexibility, the T1-B offers the convenience of eight programmable source buttons, that can be custom labeled, with the ideal selection of commonly used keypad buttons. All buttons can be individually programmed to control devices or execute multi-step macros for complex installations involving many components.



K4

Introducing the world's first standalone touchpanel with infrared control, four video inputs, Ethernet connectivity, a built-in web browser and the ability to view motion JPEG video. It features a large fully customizable LCD display and when coupled with an RTI two-way compatible processor, it is capable of receiving feedback from electronics and environmental systems.



RK10

With a beautiful 10" touchscreen display and the horsepower of an Intel® Atom processor, the RK10 combines the power of a PC with the reliability and ease-of-use of a control system. Built-in wired and wireless Ethernet allows convenient access to the web, viewing IP-based security cameras and two-way control with RTI processors including feedback from electronics or web-based information services. Direct RS-232 control provides an additional installation option for local devices. While the RK10 can in flush mounted on a wall, it also features a "finished" back and VESA compliant bolt pattern for surface or swing arm mounting.



Accelerate your capabilities

In mobile applications, every system has to pull its weight. RTI products meet transportation's unique challenges with robust programmability, intuitive functionality and class-leading performance. Wherever you go – and however you get there – count on RTI to lead the way.



U1

Designed for reliable operation in harsh environments, the U1 is weather resistant, making it ideal for use around pools, boat decks and verandas. Paired with RTI accessory devices, the U1 uses RF communication for reliable control of your electronics when your components are inside...and you're not.



U2

RTI's second generation weather resistant remote, the U2 provides reliable wireless control where your business needs you with the flexibility of a customizable display and the power of RF communication. No other remote offers the same combination of extreme durability, total customizability and superb ergonomics in a weather resistant package.



Total control



	Power	Display Type	Display Size	Display Resolution	Touch-screen	Hard Buttons	RF Frequency	Ethernet Enabled
T1-B	Lithium Ion battery w/charging cradle					40	433MHz	
M2	4 AAA batteries	Monochrome LCD	.94" w x 2.1" h	64w x 128h		33	433MHz	
T2-B	Lithium Ion battery w/charging cradle	Monochrome LCD	1.3" w x 2.4" h	64w x 128h	Yes	37	433MHz	
T2-Cs	Lithium Ion battery w/charging cradle	Color LCD	2.4"	240w x 320h	Yes	35	433MHz	
T2-C+	Lithium Ion battery w/charging cradle	Color OLED	2.8"	240w x 320h	Yes	36	433MHz and 2.4 GHz	
T3-V+	Lithium Polymer battery w/charging cradle	Color LCD	3.5"	480w x 640h	Yes	21	433MHz and 2.4 GHz	Yes
T4	Lithium Polymer battery w/charging cradle	Color LCD	6.4"	640w x 480h	Yes	13	433MHz or 2.4 GHz	Yes
U1	4 AAA batteries					12		
U2	4 AAA batteries	Monochrome LCD	.94" w x 2.1" h	64w x 128h		33		
RKM-1	9-16V DC					9		
RK1 -2,4,8	9-16V DC					2, 4, 8		
RK2	9-16V DC	Monochrome LCD	1.3" w x 2.4" h	64w x 128h	Yes	7		
RK3-V	9-16V DC	Color LCD	3.5"	480w x 640h	Yes	9		Yes
K4	9-16V DC	Color LCD	6.4"	640w x 480h	Yes	0		Yes
RK10	24V DC	Color LCD	10.2"	1024w x 600h	Yes	0		Yes



CPB-1

A cost effective solution for one-room installations, such as classrooms, that require an in-wall controller and control of local devices. The CPB-1 provides power to an RTI in-wall system controller and is capable of delivering IR as well as RS-232 for control of devices, eliminating the need for an RTI control processor.



XP-6

The XP-6 raises the level of automation and control of any electronics system. The XP-6 is loaded with features to provide sophisticated control with built-in IR routing, relay control, sense inputs, Ethernet, two-way RS-232 communication and support for ZigBee® wireless communication.



MRP-64

The MRP-64 has six keypad ports, four independent IR output ports, three voltage trigger outputs, three voltage sense inputs, an IR signal input, an Ethernet port, two-way RS-232 communication, support for ZigBee® wireless communication, and other expansion capabilities.

XP-8

Capable of automating the operation of electronic systems for entire buildings, the XP-8 marshals the power of a blazingly fast MPU and a real time/multitasking operating system. An abundance of control ports offer tremendous

expandability while cutting edge communication options such as two-way RS-232 and Ethernet, take the level of control to new heights. Like other RTI processors, the XP-8 interfaces seamlessly with all RTI handheld and in-wall controllers.



Front



Back



RKM-1



RK1- 2, 4, 8



RK2



RK3-V



K4



RK10

MJPEG Camera Viewing	Dimensions (L x W x D) (In-walls with bezel)	Cutout Dimensions (H x W)	Faceplate Colors	Bezel Colors																
	10" x 1.9" x .9" (254mm x 48mm x 23mm)			<table border="1"> <tr> <th>FACEPLATE COLORS</th> <th>BEZEL COLORS</th> </tr> <tr> <td> White</td> <td> White</td> </tr> <tr> <td> Blue</td> <td> Almond</td> </tr> <tr> <td> Silver</td> <td> Ivory</td> </tr> <tr> <td> Dark Silver</td> <td> Silver</td> </tr> <tr> <td> Metallic Gray</td> <td> Brushed Aluminum</td> </tr> <tr> <td> Dark Metallic Gray</td> <td> Black</td> </tr> <tr> <td> Black</td> <td> Black Anodized</td> </tr> </table>	FACEPLATE COLORS	BEZEL COLORS	White	White	Blue	Almond	Silver	Ivory	Dark Silver	Silver	Metallic Gray	Brushed Aluminum	Dark Metallic Gray	Black	Black	Black Anodized
FACEPLATE COLORS	BEZEL COLORS																			
White	White																			
Blue	Almond																			
Silver	Ivory																			
Dark Silver	Silver																			
Metallic Gray	Brushed Aluminum																			
Dark Metallic Gray	Black																			
Black	Black Anodized																			
	9.1" x 2.4" x 1" (251mm x 64mm x 25mm)																			
	9.75" x 2.5" x 1" (248mm x 64mm x 25mm)																			
	9.75" x 2.5" x 1" (248mm x 64mm x 25mm)																			
	10" x 2.6" x 1" (254mm x 66mm x 25mm)																			
Yes	7.75" x 3" x 1" (196mm x 76mm x 25mm)																			
Yes	6.2" x 9.4" x 2.6" (157mm x 239mm x 66mm)																			
	5.9" x 2.3" x 1.2" (150mm x 59mm x 30mm)																			
	9.1" x 2.75" x 1" (251mm x 70mm x 28mm)																			
	Standard Decora® wallplates	Single gang box		Standard Decora® wallplates																
	Standard Decora® wallplates	Single gang box		Standard Decora® wallplates																
	5.13" x 4.6" (130mm x 117mm)	4.5" x 4" (117mm x 102mm)																		
Yes	5.75" x 5.4" (146mm x 137mm)	5.13" x 4.75" (130mm x 120mm)	(Satin or Gloss)																	
Yes	6.25" x 8.75" (159mm x 222mm)	5.5" x 8.25" (140mm x 210mm)																		
Yes	8.75" x 12.25" (222mm x 311mm)	8.0" x 11.1" (203mm x 282mm)		(Satin or Gloss)																

All features and specifications subject to change without notice.


It's Under Control®

A pioneer in the development of affordable, customizable control systems for home, business and transportation, RTI combines industry-leading innovation with an obsessive commitment to design excellence. We believe in continuous product improvement and devote extraordinary resources to advancing usability, durability and reliability. The most important measure of success, however, is the day-in, day-out enjoyment that our products, software tools and technical support provide to all who count on RTI for robust power and intuitive operation in electronic control systems.



RTI controllers and remotes have been singled out by industry and media alike for advanced technology, superior ergonomics and intuitive operation.

RTI products are sold through a network of trained dealers and professional system integrators. RTI does not sell directly to the public. To locate a qualified dealer, visit www.rticorp.com or call us today at 952.253.3100.



5775 12TH AVE EAST
SUITE 180
SHAKOPEE MN 55379
952-253-3100
RTICORP.COM

